

TEMPERATURE UNITS CONVERSION TABLE

CELSIUS	FAHRENHEIT	KELVIN
-100.0	-148.0	173.2
-99.5	-147.1	173.7
-99.0	-146.2	174.2
-98.5	-145.3	174.7
-98.0	-144.4	175.2
-97.5	-143.5	175.7
-97.0	-142.6	176.2
-96.5	-141.7	176.7
-96.0	-140.8	177.2
-95.5	-139.9	177.7
-95.0	-139.0	178.2
-94.5	-138.1	178.7
-94.0	-137.2	179.2
-93.5	-136.3	179.7
-93.0	-135.4	180.2
-92.5	-134.5	180.7
-92.0	-133.6	181.2
-91.5	-132.7	181.7
-91.0	-131.8	182.2
-90.5	-130.9	182.7
-90.0	-130.0	183.2
-89.5	-129.1	183.7
-89.0	-128.2	184.2
-88.5	-127.3	184.7
-88.0	-126.4	185.2
-87.5	-125.5	185.7
-87.0	-124.6	186.2
-86.5	-123.7	186.7
-86.0	-122.8	187.2
-85.5	-121.9	187.7
-85.0	-121.0	188.2
-84.5	-120.1	188.7
-84.0	-119.2	189.2
-83.5	-118.3	189.7
-83.0	-117.4	190.2
-82.5	-116.5	190.7
-82.0	-115.6	191.2
-81.5	-114.7	191.7
-81.0	-113.8	192.2
-80.5	-112.9	192.7
-80.0	-112.0	193.2
-79.5	-111.1	193.7

CELSIUS	FAHRENHEIT	KELVIN
-79.0	-110.2	194.2
-78.5	-109.3	194.7
-78.0	-108.4	195.2
-77.5	-107.5	195.7
-77.0	-106.6	196.2
-76.5	-105.7	196.7
-76.0	-104.8	197.2
-75.5	-103.9	197.7
-75.0	-103.0	198.2
-74.5	-102.1	198.7
-74.0	-101.2	199.2
-73.5	-100.3	199.7
-73.0	-99.4	200.2
-72.5	-98.5	200.7
-72.0	-97.6	201.2
-71.5	-96.7	201.7
-71.0	-95.8	202.2
-70.5	-94.9	202.7
-70.0	-94.0	203.2
-69.5	-93.1	203.7
-69.0	-92.2	204.2
-68.5	-91.3	204.7
-68.0	-90.4	205.2
-67.5	-89.5	205.7
-67.0	-88.6	206.2
-66.5	-87.7	206.7
-66.0	-86.8	207.2
-65.5	-85.9	207.7
-65.0	-85.0	208.2
-64.5	-84.1	208.7
-64.0	-83.2	209.2
-63.5	-82.3	209.7
-63.0	-81.4	210.2
-62.5	-80.5	210.7
-62.0	-79.6	211.2
-61.5	-78.7	211.7
-61.0	-77.8	212.2
-60.5	-76.9	212.7
-60.0	-76.0	213.2
-59.5	-75.1	213.7
-59.0	-74.2	214.2
-58.5	-73.3	214.7

CELSIUS	FAHRENHEIT	KELVIN
-58.0	-72.4	215.2
-57.5	-71.5	215.7
-57.0	-70.6	216.2
-56.5	-69.7	216.7
-56.0	-68.8	217.2
-55.5	-67.9	217.7
-55.0	-67.0	218.2
-54.5	-66.1	218.7
-54.0	-65.2	219.2
-53.5	-64.3	219.7
-53.0	-63.4	220.2
-52.5	-62.5	220.7
-52.0	-61.6	221.2
-51.5	-60.7	221.7
-51.0	-59.8	222.2
-50.5	-58.9	222.7
-50.0	-58.0	223.2
-49.5	-57.1	223.7
-49.0	-56.2	224.2
-48.5	-55.3	224.7
-48.0	-54.4	225.2
-47.5	-53.5	225.7
-47.0	-52.6	226.2
-46.5	-51.7	226.7
-46.0	-50.8	227.2
-45.5	-49.9	227.7
-45.0	-49.0	228.2
-44.5	-48.1	228.7
-44.0	-47.2	229.2
-43.5	-46.3	229.7
-43.0	-45.4	230.2
-42.5	-44.5	230.7
-42.0	-43.6	231.2
-41.5	-42.7	231.7
-41.0	-41.8	232.2
-40.5	-40.9	232.7
-40.0	-40.0	233.2
-39.5	-39.1	233.7
-39.0	-38.2	234.2
-38.5	-37.3	234.7
-38.0	-36.4	235.2
-37.5	-35.5	235.7
-37.0	-34.6	236.2

CELSIUS	FAHRENHEIT	KELVIN
-36.5	-33.7	236.7
-36.0	-32.8	237.2
-35.5	-31.9	237.7
-35.0	-31.0	238.2
-34.5	-30.1	238.7
-34.0	-29.2	239.2
-33.5	-28.3	239.7
-33.0	-27.4	240.2
-32.5	-26.5	240.7
-32.0	-25.6	241.2
-31.5	-24.7	241.7
-31.0	-23.8	242.2
-30.5	-22.9	242.7
-30.0	-22.0	243.2
-29.5	-21.1	243.7
-29.0	-20.2	244.2
-28.5	-19.3	244.7
-28.0	-18.4	245.2
-27.5	-17.5	245.7
-27.0	-16.6	246.2
-26.5	-15.7	246.7
-26.0	-14.8	247.2
-25.5	-13.9	247.7
-25.0	-13.0	248.2
-24.5	-12.1	248.7
-24.0	-11.2	249.2
-23.5	-10.3	249.7
-23.0	-9.4	250.2
-22.5	-8.5	250.7
-22.0	-7.6	251.2
-21.5	-6.7	251.7
-21.0	-5.8	252.2
-20.5	-4.9	252.7
-20.0	-4.0	253.2
-19.5	-3.1	253.7
-19.0	-2.2	254.2
-18.5	-1.3	254.7
-18.0	-0.4	255.2
-17.5	0.5	255.7
-17.0	1.4	256.2
-16.5	2.3	256.7
-16.0	3.2	257.2
-15.5	4.1	257.7

CELSIUS	FAHRENHEIT	KELVIN
-15.0	5.0	258.2
-14.5	5.9	258.7
-14.0	6.8	259.2
-13.5	7.7	259.7
-13.0	8.6	260.2
-12.5	9.5	260.7
-12.0	10.4	261.2
-11.5	11.3	261.7
-11.0	12.2	262.2
-10.5	13.1	262.7
-10.0	14.0	263.2
-9.5	14.9	263.7
-9.0	15.8	264.2
-8.5	16.7	264.7
-8.0	17.6	265.2
-7.5	18.5	265.7
-7.0	19.4	266.2
-6.5	20.3	266.7
-6.0	21.2	267.2
-5.5	22.1	267.7
-5.0	23.0	268.2
-4.5	23.9	268.7
-4.0	24.8	269.2
-3.5	25.7	269.7
-3.0	26.6	270.2
-2.5	27.5	270.7
-2.0	28.4	271.2
-1.5	29.3	271.7
-1.0	30.2	272.2
-0.5	31.1	272.7
0.0	32.0	273.2
0.5	32.9	273.7
1.0	33.8	274.2
1.5	34.7	274.7
2.0	35.6	275.2
2.5	36.5	275.7
3.0	37.4	276.2
3.5	38.3	276.7
4.0	39.2	277.2
4.5	40.1	277.7
5.0	41.0	278.2
5.5	41.9	278.7
6.0	42.8	279.2

CELSIUS	FAHRENHEIT	KELVIN
6.5	43.7	279.7
7.0	44.6	280.2
7.5	45.5	280.7
8.0	46.4	281.2
8.5	47.3	281.7
9.0	48.2	282.2
9.5	49.1	282.7
10.0	50.0	283.2
10.5	50.9	283.7
11.0	51.8	284.2
11.5	52.7	284.7
12.0	53.6	285.2
12.5	54.5	285.7
13.0	55.4	286.2
13.5	56.3	286.7
14.0	57.2	287.2
14.5	58.1	287.7
15.0	59.0	288.2
15.5	59.9	288.7
16.0	60.8	289.2
16.5	61.7	289.7
17.0	62.6	290.2
17.5	63.5	290.7
18.0	64.4	291.2
18.5	65.3	291.7
19.0	66.2	292.2
19.5	67.1	292.7
20.0	68.0	293.2
20.5	68.9	293.7
21.0	69.8	294.2
21.5	70.7	294.7
22.0	71.6	295.2
22.5	72.5	295.7
23.0	73.4	296.2
23.5	74.3	296.7
24.0	75.2	297.2
24.5	76.1	297.7
25.0	77.0	298.2
25.5	77.9	298.7
26.0	78.8	299.2
26.5	79.7	299.7
27.0	80.6	300.2
27.5	81.5	300.7

CELSIUS	FAHRENHEIT	KELVIN
28.0	82.4	301.2
28.5	83.3	301.7
29.0	84.2	302.2
29.5	85.1	302.7
30.0	86.0	303.2
30.5	86.9	303.7
31.0	87.8	304.2
31.5	88.7	304.7
32.0	89.6	305.2
32.5	90.5	305.7
33.0	91.4	306.2
33.5	92.3	306.7
34.0	93.2	307.2
34.5	94.1	307.7
35.0	95.0	308.2
35.5	95.9	308.7
36.0	96.8	309.2
36.5	97.7	309.7
37.0	98.6	310.2
37.5	99.5	310.7
38.0	100.4	311.2
38.5	101.3	311.7
39.0	102.2	312.2
39.5	103.1	312.7
40.0	104.0	313.2
40.5	104.9	313.7
41.0	105.8	314.2
41.5	106.7	314.7
42.0	107.6	315.2
42.5	108.5	315.7
43.0	109.4	316.2
43.5	110.3	316.7
44.0	111.2	317.2
44.5	112.1	317.7
45.0	113.0	318.2
45.5	113.9	318.7
46.0	114.8	319.2
46.5	115.7	319.7
47.0	116.6	320.2
47.5	117.5	320.7
48.0	118.4	321.2
48.5	119.3	321.7
49.0	120.2	322.2

CELSIUS	FAHRENHEIT	KELVIN
49.5	121.1	322.7
50.0	122.0	323.2
50.5	122.9	323.7
51.0	123.8	324.2
51.5	124.7	324.7
52.0	125.6	325.2
52.5	126.5	325.7
53.0	127.4	326.2
53.5	128.3	326.7
54.0	129.2	327.2
54.5	130.1	327.7
55.0	131.0	328.2
55.5	131.9	328.7
56.0	132.8	329.2
56.5	133.7	329.7
57.0	134.6	330.2
57.5	135.5	330.7
58.0	136.4	331.2
58.5	137.3	331.7
59.0	138.2	332.2
59.5	139.1	332.7
60.0	140.0	333.2
60.5	140.9	333.7
61.0	141.8	334.2
61.5	142.7	334.7
62.0	143.6	335.2
62.5	144.5	335.7
63.0	145.4	336.2
63.5	146.3	336.7
64.0	147.2	337.2
64.5	148.1	337.7
65.0	149.0	338.2